



2. ศึกษาปัจจัยที่มีความสัมพันธ์กับการเปลี่ยนแปลงของอัตราการครองชีพเพิ่มเติม เพื่อนำผลการศึกษามาวางแผนเฝ้าระวังและดูแลผู้ป่วยที่มีโอกาสเสี่ยงที่จะเกิดภาวะไตล้มเหลวเฉียบพลันภายหลังการผ่าตัดทำทางเบี่ยงหลอดเลือดหัวใจ

เอกสารอ้างอิง (References)

1. Anderson RJ, O'Brien M, MaWhinney S, VillaNueva CB, Moritz TE, Sethi GK, et al. Renal failure predisposes patients to adverse outcome after coronary artery bypass surgery. *Kidney Int.* 1999;55(3):1057-62.
2. Landoni G, Bove T, Crivellari M, Poli D, Fochi O, Marchetti C, et al. Acute renal failure after isolated CABG surgery: Six years of experience. *Menerva Anesthesiol.* 2007;73(11): 559-65.
3. Hashemzadeh K, Hashemzadeh S, Dehdilani M. Risk factors and outcomes of acute renal failure after open cardiac surgery. *Asian Cardiovascular and Thoracic Annals.* 2012;20(3):275-80.
4. Doddakula K, Al-Sarraf N, Gately K, Hughes A, Tolan M, Young V, et al. Predictors of acute renal failure requiring renal replacement therapy post cardiac surgery in patients with preoperatively normal renal function. *Interact CardioVasc Thorac Surg.* 2007;6(3):314-8.
5. Rodrigues AJ, Evora PRB, Bassetto S, Junior AL, Filho SA, Araujo WF, et al. Risk factors for acute kidney injury after cardiac surgery. *Rev Bras Cir Cardiovasc.* 2009;24(4): 441-6.
6. Reeves BC, Ascione R, Chamberlain MH, Angelini GD. Effect of body mass index on early outcomes in patients undergoing coronary artery bypass surgery. *J Am Coll Cardiol.* 2003;42(4):668-76.
7. Reis C, Barbiero SM, Ribas L. The effect of the body mass index on postoperative complications of coronary artery bypass grafting in elderly. *Rev Bras Cir Cardiovasc.* 2008;23(4):524-9.
8. Straten MV, Hamad MA, Zundert AA, Martens EJ, Schonberger JP, Wolf AM. Risk factors for deterioration of renal function after coronary artery bypass grafting. *Eur J Cardiothorac Surg.* 2010;37(1):106-11.
9. Davoodi S, Karimi A, Ahmadi HS, Marzban M, Movahhedi N, Abbasi K, et al. Coronary artery bypass grafting in patients with low ejection fraction: The effect of Intra-Aortic Balloon Pump insertion on early outcome. *Indian J Med Sci.* 2008;62(8): 314-24.
10. Pounsombut J, Sindhu S, Thosingha O, Laksanabunsong P. Factors related to complications in postoperative open heart surgery patients during critical period. *The Journal of Faculty of Nursing Burapha University.* 2012;20(1):22-32. (in Thai).
11. Ghotkar SV, Grayson AD, Fabri BM, Dihmis WC, Pullan M. Preoperative calculation of risk for prolonged intensive care unit stay following coronary artery bypass grafting. *J Cardiothorac Surg.* 2006;14(1):1-8.
12. Brito D, Silva V, Vilela R, Neto AF, Oliverira M, Salgado VL, et al. Prevalence and risk factors for acute renal failure in the postoperative of coronary artery bypass grafting. *Rev Bras Cir Cardiovascular.* 2009;24(3):297-4.

13. Pontes DV, Silva VR, Benfatti RA, Machado NP, Pontelli R, Pontes JC. Risk factors for the development of acute renal failure following on-pump coronary artery bypass grafting. *Rev Bras Cir Cardiovascular*. 2007;22(4):484-90.
14. Polit DF, Beck CT. Nursing research: Generating and assessing evidence for nursing practice. 8th ed. Philadelphia: Lippincott Williams & Wilkins, a Wolters Kluwer Business; 2008.
15. Chizuru N. Appropriate body-mass index for Asian populations and its implications for policy and intervention strategies. *Lancet*. 2004;363(9403):157-63.
16. Pombo JF, Troy BL, Russell RO. Left ventricular volumes and fraction by echocardiography. *Circulation*. 1971;43:480-90.
17. Chirumamilla AP, Wilson MF, Wilding GE, Chandrasekhar R, Ashraf H. Outcome of renal insufficiency patient undergoing coronary artery bypass graft surgery. *Cardiology*. 2007;111(1):23-9. .
18. Topkara VK, Cheema FH, Kesavaramanujam F, Mercado ML, Cheema AF, Namerow PB, et al. Coronary artery bypass grafting in patients with low ejection fraction. *Circulation*. 2005;112 Suppl 9:1344-50.
19. Salis S, Mazzanti VV, Merli G, Salvi L, Tedes CC, Veglia F, et al. Cardiopulmonary bypass duration is an independent predictor of morbidity and mortality after cardiac surgery. *J Cardiothorac Vasc Anesth*. 2008;22(6):814-22.